

T2024/9 Serial Matrix

"The" entry level Dot Matrix printer



TallyGenicom's entry-level 9 pin, 80 column serial impact dot matrix printer is the T2024/9. This printer features very low running costs and considerable versatility with its optional roll paper holder.

Amongst the lowest priced matrix printers available this product features a comprehensive specification, including 300 characters per second maximum print speed, 6,000 pages per month workload, dual interfaces and industry standard emulations for versatile host connection.

The printer boasts advanced features such as automatic paper loading, parking, and top of form. It's unobtrusive with a small footprint, ideal for the desk, small office or the home. For draft printing its considerably less expensive running costs make it a viable alternative to low cost inkjet printers.

Product Highlights

- Parallel and RS232 Serial interfaces as standard
- IBM Proprinter and Epson FX emulations for easy connection on a wide variety of hosts
- Automatic top of form for easy alignment
- Paper park facility for easy switching between forms
- Paper roll holder, automatic sheet feeder options
- Small foot print

Available Configuration:

T2024/9 9 pin version

Print Speed	Draft: 200cps; NLQ: 50cps
Resolution	
Character Density	10, 12, 15, 17.1, 20 cpi
Line Density	6, 8lpi, 1/216" advance
Standard Connectivity	Serial RS232 and Parallel (Bi-directional) with 21Kb buffer
Standard Emulation	IBM ProPrinter II, Epson FX850
Fonts	Draft, copy draft, courier, sans serif, prestige, script, gothic, download of 256 characters provided
Consumables	Ribbon: 2.5 million characters
STD Paper Handling	Tractor paper - rear push tractors with paper parking. Cut sheet - Single sheet insertion (top)
Opt'l Paper Handling	Roll paper holder
Paper Type	Tractor paper, Cut sheet
Paper Weight	
Paper Size	Tractor paper 115 to 254mm max width. Cut sheet 102 to 297mm max width. Cut sheet 127 to 363mm max length
Physical Weight	3.3Kg
PhysicalSize	(HxWxD): 110 x 380 x 287mm
Power Voltage	230V. 110/120V version available
Workload	6,000 pages per month
Drivers	
Temperature	
Humidity	
Acoustic	55dB(A)
Warranty	



